## **AMENDMENTS TO THE SPECIFICATION:**

Prior to the first paragraph of the specification, please insert the following paragraph:

This application is a continuation of U.S. patent application No. 08/667,493, filed June 24, 1996, now U.S. Patent No. 6,340,563, issued on January 22, 2002, which is a continuation of U.S. patent application No. 08/311,553, filed September 23, 1994.

Page 21, line 20 through page 22, line 7:

With TG, any region of a gene can be amplified provided sufficient sequence information is available upon which to formulate amplifying and sequencing primers; short DNA sequences, 18-30 base pair long, most easily created by means of an oligonucleotide synthesizer apparatus. These primers direct the amplification and sequencing of DNA in TG. Oligonucleotide primer pairs are usually designed to amplify a genomic region approximately 200 base pairs in length, although longer lengths can be effectively amplified from fixative treated tissues. Either amplifying primer can serve as a sequencing primer, but design and use of an internal primer may in some case be worthwhile to achieve a clean sequencing band pattern. As sequencing will be performed by means of dideoxy chain termination with <sup>35</sup>S radionucleotide incorporation, it is important to select a radionucleotide that will be incorporated as close to the 3Ő end of the ultimate sequencing primer, ideally within three bases and several times within the first bases. [cite?]